

CLASSIC SERIES,

Your dream golf cart is closer than you think . Looks as good as it feels !





STEERING WHEEL

OPTIONAL 9" TOUCH SCREEN (RADIO, MUSIC, SPEEDOMETER, BLUETOOTH, BACK-UP CAMERA, CAR APP CONNECTION)



COLOR MATCHED DASHBOARD WITH FOUR CUP HOLDERS/CELL PHONE HOLDER





REAR-FACING, FLIP-FLOP SEAT KITS WITH STORAGE COMPARTMENT



STEREO SYSTEM







CLASSIC 2

CLASSIC 4

















14" ALLOY WHEEL RIMS WITH COLOR MATCHING INSERTS AND RADIAL DOT TIRES



OPTIONAL GOLF BAG HOLDER KIT



CLASSIC 4 PLUS







SPECIFICATIONS

CLASSIC 2

DIMENSIONS

2380×1400×1830mm
1650mm
880mm
980mm
≤3.5m
3.1m
360kgs
560kgs
E-coat and powder coated chassis
TPO injection moulding front cowl and rear body

GENERAL

TIRE SIZE	14X7"Aluminum Wheel/ 215/35R14" Radial Tire	TI
SEATING CAPACITY	Two persons	SE
TOUCHSCREEN	No Touchscreen	тс
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue, Silver, Green. PPG- Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray	AV CO
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black	AV CC

1

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	4kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	48V Lithium battery

CLASSIC 2 EEC

DIMENSIONS

SPECIFICATION

SYSTEM VOLTAGE

MOTOR POWER CHARGING TIME

CONTROLLER

MAX GRADIENT

MAX SPEED

(FULL LOAD) BATTERY

EXTERNAL DIMENSION	2380×1400×1830mm
WHEELBASE	1650mm
FRONT WHEEL TREAD	880mm
REAR WHEEL TREAD	980mm
BRAKING DISTANCE	≤3.5m
MIN TURNING RADIUS	3.1m
CURB WEIGHT	360kgs
MAX TOTAL MASS	560kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body
	·

(GENERAL			
	TIRE SIZE	10" Aluminum Wheel/205/50- 10 Tire		
	SEATING CAPACITY	Two persons		
	TOUCHSCREEN	No Touchscreen		
	AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue,Silver, Green. PPG> Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray		
	AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black		

48V 4kw

4-5h

400A

30%

20-40km/h

48V Lithium battery

GENERAL 14X7"Aluminum Wheel/ TIRE SIZE 215/35R14" Radial Tire SEATING CAPACITY Four persons TOUCHSCREEN No Touchscreen Candy Apple Red, White, Black, Navy Blue, Silver, Green AVAILABLE MODEL PPG> Flamenco Red, Black COLORS Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray AVAILABLE SEAT Black&Black,Silvery&Black,Apple

CLASSIC 4

FRONT WHEEL TREAD

REAR WHEEL TREAD

BRAKING DISTANCE

CURB WEIGHT

FRAME

BODY

MAX TOTAL MASS

MIN TURNING RADIUS

EXTERNAL DIMENSION 2860×1400×1930mm

1650mm

880mm

980mm

≤3.5m

3.1m

400kgs

750kgs

chassis

E-coat and powder coated

TPO injection moulding front

cowl and rear body

DIMENSIONS

WHEELBASE

SPECIFICATION

COLORS

SYSTEM VOLTAGE	48V
MOTOR POWER	4kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	48V Lithium battery

Red&Black

CLASSIC 4 PLUS

DIMENSIONS

EXTERNAL DIMENSION	2860×1400×1930mm
WHEELBASE	1650mm
FRONT WHEEL TREAD	880mm
REAR WHEEL TREAD	980mm
BRAKING DISTANCE	≤3.5m
MIN TURNING RADIUS	3.1m
CURB WEIGHT	431kgs
MAX TOTAL MASS	781kgs
FRAME	E-coat and powder coated chassis
BODY	TPO injection moulding front cowl and rear body
	·

GENERAL

TIRE SIZE	14X7"Aluminum Wheel/ 215/35R14" Radial Tire
SEATING CAPACITY	Four persons
TOUCHSCREEN	9" Bluetooth touchscreen (Radio, Music, Speedometer, Bluetooth,Back-up camera, Car-net App connetion)
AVAILABLE MODEL COLORS	Candy Apple Red, White, Black, Navy Blue,Silver, Green. PPG- Flamenco Red, Black Sapphire, Mediterranean Blue, Mineral White, Portimao Blue, Arctic Gray
AVAILABLE SEAT COLORS	Black&Black,Silvery&Black,Apple Red&Black

SPECIFICATION

SYSTEM VOLTAGE	48V
MOTOR POWER	4kw
CHARGING TIME	4-5h
CONTROLLER	400A
MAX SPEED	20-40km/h
MAX GRADIENT (FULL LOAD)	30%
BATTERY	48V Lithium battery



CLASSIC 2



CLASSIC 2 EEC



CLASSIC 4



CLASSIC 4 PLUS



	L4860	L48110	L48205
Nominal Voltage	51.2V	51.2V	48V
Nominal Capacity	60Ah	110Ah	205Ah
Stored Energy	2.88kwh	5.28kwh	9.84kwh
Life cycles		>3500 times	
Self discharge	max 3.2% per month		
Continuous charge current	s40A	≤70A	≤145A
Continuous discharge current		100A	
Maximum discharge current		3C(30s)	
Quick charging time		1-2h	
Standard charging time	3-4h	4-5h	6-8h

2 a c			L48205	
Charge temperature range	3	2°F to 110°F (0°C to 45°C	C)	
Discharge temperature rang	le -4	-4°F to 140°F (-20°C to 55°C)		
Storage temperature range	-4°F to	-4"F to 113"F (1month)(-20"C to 45"C)		
Cell combination	16 in series circuit	16 in series circuit	16 in series circuit	
Cell assembly	3.2V60Ah	3.2V110Ah	3.2V205Ah	
Casing material	Aluminum Alloy	Aluminum Alloy	Stool with Rust-resistant Coating	
Weight	56.8lbs(25.8kg)	102.7/bs(46.6kg)	173.3lbs(78.6kg)	
Dimension(L*W*H)	13.5*12.8*9.4in	21.0*13.8*9.8in	27.1*13.7*8.9in	
IP rate		IP66		



L series products are lithium-ion battery packs with integrated golf cart battery system. They are designed to replace the lead-acid batteries, which are available for drop-in replacement in golf carts easily. The benefits of lithium-ion battery include lighter weight, shorter charging time, longer life, free maintenance and to save much electricity bill for you. Our battery has an integrated management system which includes an On/Off switch and a state-of-charge(SOC) gauge.



ULTRA SAFE





25A Adaptive Charger



Ĺ

